

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A fungicidal composition comprising a synergistic fungicidally effective amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl)phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds in the composition.

2. (Original) A fungicidal composition according to Claim 1, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

3. (Original) A fungicidal composition according to Claim 1, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl)phenyl]acetamide.

4. (Original) A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.0625 and 1.33.

5. (Original) A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.05 and 5.

6. (Original) A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.17 and 1.33.

7. (Original) A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.02 and 2.

8. (Original) A fungicidal composition according to Claim 1, wherein the A/B ratio by weight is between 0.0625 and 0.25.

9. (Original) A fungicidal composition according to Claim 1, further comprising at least one member selected from the group consisting of an agriculturally acceptable solid or liquid vehicle and an agriculturally acceptable surface-active agent.

10. (Original) A fungicidal composition according to Claim 9, comprising from 0.05% to 95% by weight of compounds A and B.

11. (Currently Amended) A process for the ~~curative or preventative~~ control of phytopathogenic fungi in plants, said process comprising applying to plants or to the locus

in which they grow a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied.

12. (Original) A process according to Claim 11, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

13. (Original) A process according to Claim 11, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

14. (Original) A process according to Claim 11, wherein the A/B ratio by weight is between 0.0625 and 1.33.

15. (Original) A process according to Claim 11, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops or lawns to control fungi which are phytopathogenic towards crops or lawns, respectively.

16. (Original) A process according to Claim 15, wherein compound A is methyl-(E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

17. (Original) A process according to Claim 15, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

18. (Original) A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the plants.

19. (Original) A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops and wherein the A/B ratio by weight is between 0.05 and 5.

20. (Original) A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to crops and wherein the A/B ratio by weight is between 0.17 and 1.33.

21. (Currently Amended) A process ~~according to Claim 15, wherein~~ for the control of fungi which are phytopathogenic towards crops, said process comprising applying to crops a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being

the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B is being applied to said crops at a dose rate of between 150 and 1500 g/ha.

22. (Currently Amended) A process ~~according to Claim 15, wherein~~ for the control of fungi which are phytopathogenic towards crops, said process comprising applying to crops a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B is being applied to said crops at a dose rate of between 400 and 1000 g/ha.

23. (Original) A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to lawns and wherein the A/B ratio by weight is between 0.02 and 2.

24. (Original) A process according to Claim 15, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to lawns and wherein the A/B ratio by weight is between 0.0625 and 0.25.

25. (Currently Amended) A process ~~according to Claim 15, wherein~~ for the control of fungi which are phytopathogenic towards lawns, said process comprising applying to lawns a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B is being applied to said lawns at a dose rate of between 1100 and 7000 g/ha.

26. (Currently Amended) A process ~~according to Claim 15, wherein~~ for the control of fungi which are phytopathogenic towards lawns, said process comprising applying to lawns a synergistic fungicidally effective non-phytotoxic amount of a compound A which is (i) methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate or (ii) N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide, and a compound B which is iprodione, the A/B ratio by weight being between 0.02 and 5, compounds A and B being the only fungicidally active compounds applied, the synergistic fungicidally effective non-phytotoxic amount of A and B is being applied to said lawns at a dose rate of between 2250 and 5000 g/ha.

27. (New) A process according to Claim 21, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

28. (New) A process according to Claim 21, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

29. (New) A process according to Claim 21, wherein the A/B ratio by weight is between 0.0625 and 1.33.

30. (New) A process according to Claim 21, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the crops.

31. (New) A process according to Claim 21, wherein the A/B ratio by weight is between 0.05 and 5.

32. (New) A process according to Claim 21, wherein the A/B ratio by weight is between 0.17 and 1.33.

33. (New) A process according to Claim 22, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

34. (New) A process according to Claim 22, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide.

35. (New) A process according to Claim 22, wherein the A/B ratio by weight is between 0.0625 and 1.33.

36. (New) A process according to Claim 22, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the crops.

37. (New) A process according to Claim 22, wherein the A/B ratio by weight is between 0.05 and 5.

38. (New) A process according to Claim 22, wherein the A/B ratio by weight is between 0.17 and 1.33.

39. (New) A process according to Claim 25, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

40. (New) A process according to Claim 25, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxyethyl)phenyl]acetamide.



41. (New) A process according to Claim 25, wherein the A/B ratio by weight is between 0.0625 and 1.33.

42. (New) A process according to Claim 25, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the lawns.

43. (New) A process according to Claim 25, wherein the A/B ratio by weight is between 0.02 and 2.

44. (New) A process according to Claim 25, wherein the A/B ratio by weight is between 0.0625 and 0.25.

45. (New) A process according to Claim 26, wherein compound A is methyl (E)-methoxyimino[ $\alpha$ -(o-tolyloxy)-o-tolyl]acetate.

46. (New) A process according to Claim 26, wherein compound A is N-methyl-(E)-methoxyimino[2-(2,5-dimethylphenoxy)methyl]phenyl]acetamide.

47. (New) A process according to Claim 26, wherein the A/B ratio by weight is between 0.0625 and 1.33.

48. (New) A process according to Claim 26, wherein the synergistic fungicidally effective non-phytotoxic amount of A and B is applied to the aerial parts of the lawns.

49. (New) A process according to Claim 26, wherein the A/B ratio by weight is between 0.02 and 2.

50. (New) A process according to Claim 26, wherein the A/B ratio by weight is between 0.0625 and 0.25.